OFFICE OF THE INSPECTOR GENERAL CITY OF BALTIMORE



Isabel Mercedes Cumming
Inspector General

Investigative Report Synopsis

OIG Case # 22-0052-I

Issued: September 20, 2022



OFFICE OF THE INSPECTOR GENERAL Isabel Mercedes Cumming, Inspector General City Hall, Suite 635 100 N. Holliday Street Baltimore, MD 21202



September 20, 2022

Dear Citizens of Baltimore City,

The Office of the Inspector General (OIG) issued a prior Public Synopsis (PS #21-0032-I) detailing unsanitary work conditions and maintenance issues observed during a December 2020 site visit at the Baltimore City Health Department's (BCHD) Druid Sexual Health Clinic (Druid SHC). The OIG received an anonymous complaint in May 2022, alleging the conditions at the Druid SHC have not improved, and it is still an unsafe environment for patients.

This Public Synopsis provides information the Office of Inspector General (OIG) learned when conducting a follow-up site visit to the Druid SHC on July 14, 2022.

Background

The OIG's prior PS #21-0032-I documented evidence of rodents, pests, malfunctioning doors, temperature control issues, and other general maintenance issues at the Druid SHC facility (Exhibit 1). The OIG made those observations during a December 2020 site visit and raised concerns regarding BCHD's compliance with Occupational Safety and Health Administration (OSHA) regulations and employee health and safety requirements under the City of Baltimore's (City) Memorandums of Understanding (MOU) with its labor unions. The OIG issued PS #21-0032-I and BCHD's response in September 2021 (Exhibit 2).

Rodent and Pest Concerns

During the follow-up visit on July 14, 2022, the OIG reviewed the Druid SHC basement area. In addition to being the location of the staff break room, the Druid SHC basement is where numerous BCHD supplies are stored. The OIG found a rodent in the basement that appears to be the same deceased rodent observed in the same spot during the December 2020 visit (Figure 1).

Figure 1: Deceased rodent in basement in December 2020 (left) and potentially the same rodent in July 2022 (right)





¹ Druid SHC is located at 1515 W. North Avenue, Baltimore, MD 21217. The Druid SHC provides testing, diagnosis, and treatment for sexually transmitted infections. BCHD's Dental and Family Planning also operate in the building.

Additionally, the OIG located potential rodent droppings in a hallway (Figure 2) and insects throughout the Druid SHC facility (Figure 3).

Figure 2: Potential Rodent Droppings





Figure 3: Insects in Druid SHC lobby area, stairwell, and staff break room




Potential Security Concerns

The OIG reviewed multiple entry points that appeared to be unsecured, potentially leaving the Druid SHC vulnerable to theft and creating safety concerns for staff. The OIG also observed security cameras in the interior and exterior of the Druid SHC. However, the OIG learned that the digital video recorder (DVR) for the Druid SHC building's cameras was not operational.

The OIG reviewed the room where the Druid SHC's Pyxis, an automated medication dispensing system, is stored. The OIG previously noted inventory concerns involving the Pyxis system in the public synopsis for case #20-0021-I (Exhibit 3). In BCHD's response to the report, BCHD stated they would work to install security cameras to address discrepancies (Exhibit 4). During the July 2022 site visit, the OIG did not observe any cameras in the Pyxis room (Figure 7).

Figure 4: Pyxis room (Photo from July 2022)



General Maintenance Concerns

The OIG noted maintenance concerns in the women's restroom, an electric panel room containing numerous cardboard boxes, and damaged ceiling tiles (Figures 8-10).²

Figure 5: Maintenance issues in woman's bathroom



² The numerous cardboard boxes near the electric panel may be a potential violation of the City's fire code.

Figure 6: Electrical panel room containing numerous cardboard boxes








Figure 7: Damaged ceiling tiles





Druid SHC Improvements

In PS #21-0032-I, the OIG previously identified concerns regarding the building's dumpster creating a rodent infestation due to being frequently overfilled. During the OIG's July 2022 site visit, the OIG found a fence had been installed surrounding the dumpster access area and noticed the dumpster was not overcapacity (Figure 11).

Figure 8: Fence installed around parking lot dumpster (July 2022)








During the investigation for PS #21-0032-I, the OIG received multiple reports of Heating, Ventilation, and Air-Conditioning (HVAC) issues. The OIG determined that these HVAC issues created a lack of temperature control, disrupting rapid testing for Human Immunodeficiency Virus (HIV) and Hepatitis C Virus (HCV). In December 2020, the OIG noted a set temperature of 69° on the Druid SHC thermostat, but the temperature was 78°. At the time of the July 2022 visit, the Druid SHC HVAC system appeared to be functioning correctly as the thermostat and room temperature were both 70° (Figure 12).

Figure 9: Thermostat (July 2022)



Additionally, the unsecured and damaged access door documented in Report #21-0032-I has since been repaired and is secured (Figure 13).

Figure 10: Access door repaired and secured (July 2022)





OSHA Visit

The OIG learned of an unannounced visit from Occupational Health and Safety Administration (OSHA) at the Druid SHC on June 3, 2022. The OIG reviewed BCHD correspondence regarding several issues raised during the OSHA inspection, including the lack of ready access to safety needles, a written exposure plan, and sharps containers not being mounted to the wall.

Investigative Findings

The OIG substantiated the complaint allegations in part. The OIG's observations of rodents, pests, security, and other general maintenance during the July 2022 site visit support that there are still concerns regarding BCHD's compliance with OSHA regulations and employee health and safety requirements per the City's MOUs with labor unions. However, it is worth noting several improvements have occurred at the Druid SHC since the prior OIG investigation. The Druid SHC's thermostat appeared to regulate the temperature within the work environment properly, and a new fence seems to have curtailed the overflowing trash in the facility's dumpster.

Sincerely,

Isabel Mercedes Cumming

Inspector General

CC: Hon. Brandon M. Scott, Mayor of Baltimore City

Hon. Nick Mosby, Baltimore City Council President

Hon. Bill Henry, Baltimore City Comptroller

Honorable Members of the Baltimore City Council

Hon. Jim Shea, Baltimore City Solicitor

Exhibits

- 1. Public Synopsis #21-0032-I
- 2. BCHD response to Report #21-0032-I
- 3. Excerpts from Public Synopsis #20-0021-I
- 4. BCHD Response to OIG report #20-0021-I

Exhibit 1

Case #22-0052-I

OFFICE OF THE INSPECTOR GENERAL CITY OF BALTIMORE



Isabel Mercedes Cumming
Inspector General

Investigative Report Synopsis

OIG Case # 21-0032-I

Issued: September 29, 2021



OFFICE OF THE INSPECTOR GENERAL Isabel Mercedes Cumming, Inspector General City Hall, Suite 635 100 N. Holliday Street Baltimore, MD 21202



September 29, 2021

Dear Citizens of Baltimore City,

The Mission of the Office of the Inspector General (OIG) is to promote accountability, efficiency, and integrity in City government, as well as to investigate complaints of fraud, financial waste, and abuse. The OIG was informed during a prior investigation¹ that the work conditions at the Baltimore City Health Department's (BCHD) Druid Sexual Health Clinic (Druid SHC),² located at 1515 North Avenue in Baltimore, were unsanitary, substandard, and resulted in the waste of medical supplies.

The OIG conducted a site visit to the Druid SHC in December 2020. While onsite, the OIG observed rodents, insects, malfunctioning doors, temperature control issues, and other maintenance concerns. Additionally, the OIG was informed by multiple Druid SHC employees that the inability to regulate the temperature throughout the complex had caused interruptions to the rapid testing of patients for sexually transmitted infections (STIs).

Methodology

The OIG interviewed BCHD employees and Johns Hopkins University (JHU) contractors working at the Druid SHC.³ Additionally, the OIG interviewed the Health Facilities Coordinator as the subject matter expert on BCHD building maintenance at the administrative level. Lastly, the OIG interviewed a member of the BCHD executive management team regarding potential renovations, upgrades, and maintenance issues at the Druid SHC.

Furthermore, the OIG reviewed documents related to the Druid SHC facility including the following:

- BCHD budget information
- Memorandums of Understanding (MOUs) between the City and local labor unions
- Occupational Safety and Health Administration (OSHA) regulations
- Code of Maryland Regulations (COMAR) for laboratories
- Package insert information for OraOuick rapid tests

OIG Inspection of Druid SHC

The OIG conducted a site visit of the Druid SHC facility in December 2020.⁴ As detailed below, the OIG identified health and safety concerns in the patient waiting room, staff offices, laboratory facilities, basement, medical supply room, and rear stairwell.⁵

¹ The separate investigation was previously detailed in the Report of Investigation (ROI) for case 20-0021-I.

² Druid SHC provides testing, diagnosis, and treatment for sexually transmitted infections, including Human Immunodeficiency

³ BCHD employees and JHU contractors work at the Druid SHC and will be collectively referred to as SHC personnel.

⁴ Although the Druid SHC was not seeing patients at that time, the OIG did observe BCHD employees working in the facility.

⁵ These conditions were at the time of the site visit and may have been addressed since December 2020.

Deceased rodents in the basement supply room and stairwell (Figure 1), accompanied by a foul odor, were notable observations.⁶ Additionally, deceased insects were observed in the supply room and basement areas (Figure 2). The OIG was able to confirm that in April 2021, BCDH employees communicated amongst each other about the dead rodent, seemingly in the same area of the basement the OIG observed in December 2020.

Figure 1: Rodents in basement and stairwell







Figure 2: Insects in supply room and basement







In addition to rodents and insects, the OIG observed damaged or missing ceiling tiles (Figure 3) throughout the Druid SHC facility. Multiple witnesses told the OIG the Druid SHC's roof leaks, likely causing the observable water stains. The OIG also observed the door to the staff office area was unsecured and damaged (Figure 4).

⁶ The breakroom for Druid SHC employees is in the basement area.

Figure 3: Damaged ceiling tiles in (from left to right) SHC hallway, Room 201, near the lab area, and room with computer server equipment/wires



Figure 4: Unsecured and damaged access door







The OIG also observed a water leak in the basement and a running water pipe in the men's restroom closet (Figure 5). According to the BCHD employee who was on site, no one was aware of the basement leak until the site visit, and although the running water in the men's restroom is a nuisance, it did not impact operations.

Figure 5: Water Leak in Basement (left) and running water pipe in the men's restroom closet (right).





Obstacles for Druid SHC Maintenance

When asked about general maintenance and sanitation challenges at the Druid SHC, the BCHD manager stated that rodents have been an ongoing problem due to multiple factors, including the age of the building. According to a BCHD manager, a pest control vendor services the Druid SHC every two weeks, removing old traps and installing new traps. However, the separate BCHD janitorial services vendor refuses to remove the deceased rodents.

Additionally, the BCHD manager stated the Druid SHC's dumpster is frequently overfilled, creating a rat infestation outside the building. Despite prohibitions, residents and businesses from the surrounding area discard their trash in the dumpster, causing it to overflow. An OIG photo of the Druid SHC dumpster in April 2021 shows it filled to capacity (Figure 6). According to the BCHD manager, there have been discussions about the dumpster problems with the Department of General Services (DGS), who has agreed to assist with installing a fence to limit the public's access to the dumpster, and with the Department of Public Works (DPW), who agreed to pick up the trash twice a week.

Figure 6: Druid SHC Dumpster





Potential OSHA and MOU Issues

0

The OIG's observations in the above areas confirmed the allegations about the lack of regular maintenance and sanitation at the Druid SHC. These concerns were exacerbated by the rapid spread of COVID-19.

These health and safety concerns potentially violate Occupational Health and Safety Administration (OSHA) regulations and the Memorandums of Understanding (MOUs) the City has with its labor unions. OSHA provides regulations for general environment control, including vermin control. The Druid SHC is staffed by City employees who are members of American Federation of State, County, and Municipal Employees Local 44 (AFSCME 44) and the City Union of Baltimore (CUB). The City's MOU with AFSCME 44 states the employer shall provide employees with a safe and healthy workplace. According to the City's MOU with CUB, unsafe or unhealthy work situations that are not handled satisfactorily by the City could become the subject of a grievance.

Extreme Temperatures and Testing Interruptions

During the investigation, several SHC personnel alleged that the heating, ventilation, and air conditioning (HVAC) system does not properly regulate the temperature throughout the Druid SHC.⁷ These SHC personnel stated the temperature inside the Druid SHC can become extremely hot. One BCHD employee reported the indoor temperature to be 90°F on a workday in March 2021. During the OIG site visit to the Druid SHC, the office temperature was higher than the thermostat setting in the staff office area (Figure 7).

Figure 7: Room temperature higher than thermostat setting (left) and SHC staff office area where thermostat is located (right)



Multiple Druid SHC personnel reported instances when rapid testing for Human Immunodeficiency Virus (HIV) and Hepatitis C Virus (HCV) were halted due to the high building temperatures. Relevant correspondence obtained by the OIG suggested extreme temperatures could cause inaccurate test results or otherwise impact proper storage of the test kits. According to the manufacturer's test guidelines, the recommended storage temperature for the Rapid HIV tests is between 35°F and 80°F; the recommended storage temperature for the Rapid HCV tests is between 36°F and 86°F. If the tests are stored outside of these ranges, the kit controls must be run to ensure the tests are working sufficiently.⁸

During the site visit, the OIG observed boxes of OraQuick Advance Rapid HIV and OraQuick Rapid HCV tests that were marked "expired". The OIG was unable to determine if the expiration resulted from temperature irregularities, though such irregularities outside of the manufacturer's guidelines could lead to wasted tests. The Code of Maryland Regulations (COMAR) Chapter 10.10.12.09 states that public health testing personnel must follow the manufacturer's test specifications and instructions, including being aware of precautions and warnings for the tests.

According to the BCHD manager, the Druid SHC's laboratory needs a separate HVAC system from the rest of the building in order to maintain a consistent temperature for testing operations. The BCHD

Ü

0

⁷ None of the personnel were skilled HVAC professionals and the OIG did not solicit the expertise of DGS's HVAC unit.

⁸ Package inserts for the OraQuick Rapid HIV and OraQuick Rapid HCV tests can be found on the Federal Drug Administration's (FDA) website. (https://www.accessdata.fda.gov/cdrh docs/pdf8/p080027s0010.pdf)

manager said that they have requested HVAC upgrades as part of the City's Capital Improvement Program (CIP). This request is reflected in correspondence between BCHD and DGS.

Future Plans for Druid SHC

The BCHD Deputy Commissioner told the OIG that they are aware of concerns with the Druid SHC building, including the ongoing rodent issues. The BCHD Deputy Commissioner also stated Druid SHC is the next BCHD building to receive CIP funding for renovations. According to the BCHD Deputy Commissioner, the BCHD is reviewing the possibility of purchasing a different building, completing renovations, and moving the Druid SHC into the renovated building. Additionally, the BCHD Deputy Commissioner stated the BCHD could apply to use funding from the American Rescue Plan Act to assist with improvements and upgrades.

Conclusion

The OIG's observations during its site visit to Druid SHC raised concerns about BCHD's compliance both with OSHA environmental regulations and with employee health and safety requirements in the City's MOUs with labor unions. Additionally, SHC personnel told the OIG that high temperatures in the Druid SHC have caused interruptions to rapid testing services for patients. These irregular temperatures could lead to the potential waste of test kits and may violate provisions of COMAR regarding proper public health testing. Lastly, the OIG learned from BCDC management that BCHD is planning to complete improvements to—or possibly relocate—the Druid SHC because of the ongoing facility concerns.

Sincerely, Mercus Cum

Isabel Mercedes Cumming, Inspector General

Office of the Inspector General

Cc: Hon. Brandon M. Scott, Mayor of Baltimore City Hon. Nick Mosby, President, City Council Hon. Bill Henry, Baltimore City Comptroller Honorable Members of the Baltimore City Council Hon. Jim Shea, City Solicitor

⁹ According to the City's Department of Planning website, "A capital improvement is a long-term investment, typically in physical infrastructure, such as roads, monuments, public buildings, parks, or art." (https://planning.baltimorecity.gov/planning-capital-improvement)

Exhibit 2

Case #22-0052-I



Baltimore City Health Department 1001 E. Fayette Street • Baltimore, Maryland 21202 Brandon M. Scott, Mayor Letitia Dzirasa, M.D., Commissioner of Health

TO: Isabel Mercedes Cumming, Inspector General

FROM: Letitia Dzirasa, M.D., Commissioner of Health

CC:

SUBJECT: OIG Case #21-0032-I

DATE: September 21st, 2021

This memo is written in response to the Office of the Inspector General (OIG) Case #21-0032-I Management Alert that examined unsanitary conditions and maintenance issues at the BCHD Druid Health Center. We appreciate the time and effort that the OIG invested speaking with staff and visiting our Druid Health Center (DHC) at 1515 W. North Ave. to investigate complaints regarding unsanitary work conditions.

BCHD has been aware of the infrastructure and operational challenges and concerns raised by staff for some time. Accordingly, we work regularly with the Department of General Services (DGS) to address them, when necessary, which is often.

BCHD has been operating a health clinic at 1515 W. North Avenue for over approximately 60 years. The building is old, deteriorating, and not up to code. The temperature issue is longstanding due to the age of the HVAC system. In December 2020, there was no heat for several days as the boiler finally gave out. A temporary boiler was installed, and we continue to operate with the temporary boiler in place while a custom boiler is built, which ultimately may not be a long-term solution. Temperature fluctuations within the building have continued and impact our staff, clients and community partners. A right of entry was provided to DGS on January 20, 2021, so a permit could be issued to start the work. Due to the validity of a vendor's business license in the City, the Permit Office will not release the work permit until the matter is resolved. As a result, the boiler installation is pending resolution of the vendor's business license. DGS is working through one of its vendors to fulfill the request for air conditioning units. The building needs a full HVAC system replacement and in our FY22 Capital Improvement Program (CIP) request we allocated \$150,000 to cover design fees for a partial HVAC system upgrade.

Regarding the observation of expired Oraquick HIV and HCV test kits, the kits depicted in Exhibit 7 did expire due to temperature fluctuations in the building and are no longer able to be used for testing patients. Long-term matters of this kind could have possible fiscal implications. We, however, are using the expired test kits for the purposes of staff training. COMAR regulations

governing public health testing have been adhered to by BCHD and test kits affected due to the temperature fluctuations are pulled aside and clearly marked (as shown in Exhibit 7). BCHD has an open work order with DGS to have air conditioning units installed in our stat lab to ensure appropriate temperatures are maintained to house test kits and reagents.

Pest control continues to be an issue at the DHC and the agency has worked with DGS to establish pest control services at the building with vendor services scheduled every 2 weeks, removing old traps and installing new ones, as an alternative to treatments such as dusting and spraying. Regrettably, due to delays in payments to the contracted pest control vendor, lapses in pest control services at the site continue. The contracted janitorial vendor has communicated to BCHD that removal of dead rodents is outside of their scope of services with the City. BCHD has communicated these issues to DGS with hopes of expeditious resolution. In hopes of a temporary resolution to the pest issues, BCHD clinical staff cleaned out storage areas in the basement of the building in April/May 2021. To date, this effort has had minimal impact on the rodent issue. Over the next 2 weeks, DGS will perform on onsite inspection to also identify and eliminate potential rodent points of entry.

As noted in the management alert, rodent issues have persisted in part due to the outside dumpster which was previously accessible to the public in the BCHD staff parking lot. BCHD worked with DGS to increase the frequency of trash pickup at the site last year. DGS responded to our requests and specific dumpster situation by fencing off the parking lot and installing a gate that is locked each evening when the building closes. The fence was installed a few weeks ago after being delayed for some time due to worldwide supply chain issues because of the COVID-19 pandemic. The fence, installed in July 2021, has prevented illegal dumping in our dumpster in the parking lot. We are now experiencing challenges with the public dumping trash outside the fence on the sidewalk alongside the building. DGS will be discussing this matter with the Baltimore Police Department. One possible, and unfortunately expensive, solution is to add a mobile security patrol after-hours route to reduce the prevalence of illegal dumping. DGS will also discuss with Baltimore City Department of Housing and Community Development the potential for illegal dumping surveillance cameras at that location.

BCHD has an open and active work order with DGS to address leaks associated with the roof, which is in desperate need of replacement. When it rains, water pools in the basement due to the floor drain clogging. The more permanent solution is a roof replacement and DGS currently has \$700,000 for replacement from previous CIP allocations. The roof replacement project is on hold until after the HVAC project is completed as there is potential for the installation of the roof top HVAC units to cause damage to the new roof. It is also on hold pending final decisions related to potential ARPA funding to support DHC renovation versus new build (see concluding paragraph). This building is on a list of facilities with damaged and missing ceiling tiles, that will be replaced once DGS receives an order of tiles that is pending receipt. As with other supplies and materials,

we have found that ceiling tiles have been difficult to procure because of pandemic supply chain issues.

Appropriately, BCHD enters work orders to have the drain snaked after each heavy rain. Our clinical programs have several storage areas located in the basement and when water pools our files and other supplies are sometimes endangered, which long-term could have fiscal implications, due to possibly rendering supplies unusable. We have taken steps over the past few years to purchase and install shelving units in the basement to help with this issue; however, pooled water in the basement continues to be a hazard to staff who may need to access files or supplies at times, while we wait for the drain to be snaked to remove clogs. While most maintenance efforts at this facility have tended to be reactionary in nature, due to resource allocations, over the next two weeks, DGS indicated they will perform an assessment of the location to identify systems that are not working at "optimal or satisfactory" levels.

BCHD advocates to ensure it can provide high quality care in an environment that is safe, comfortable, and respectful of our employees and the residents we serve. Based on the current condition of the DHC building, this is challenging. As noted in your management alert, BCHD has allocated Capital Improvement Program (CIP) funds to address ongoing temperature issues and for interior renovations in FY22. An additional \$700,000 for construction was planned to be requested in FY23. This approach of requesting design and construction CIP funds in separate years is by design. Design activities will be initiated following final determination around ARPA funding for a complete facility renovation versus a new build. DGS is collaborating with BCHD on the drafting of an ARPA proposal and has provided cost estimates and justification language generated for an ARPA-funded HVAC replacement at the site. As previously noted, the agency is also including two options, in its ARPA request to the City, that would address the many challenges that come along with operating in a facility that has served its useful life; specifically, an option for full renovation to address the matters cited in your report in the existing building or purchase of a different building that can be built-out to house a newly relocated DHC.

0

0

Exhibit 3

Case #22-0052-I

OFFICE OF THE INSPECTOR GENERAL CITY OF BALTIMORE



Isabel Mercedes Cumming Inspector General

Investigative Report Synopsis

OIG Case # 20-0021-I

Issued: September 8, 2021



OFFICE OF THE INSPECTOR GENERAL Isabel Mercedes Cumming, Inspector General City Hall, Suite 635 100 N. Holliday Street Baltimore, MD 21202



September 8, 2021

Dear Citizens of Baltimore City,

The Office of the Inspector General (OIG) received several complaints between August 2019 and May 2021 regarding the Baltimore City Health Department's (BCHD) operation of its Sexual Health Clinics (SHCs). Although the OIG investigated five separate allegations, this public synopsis will outline only one, related to medication inventory; another issue was referred to another entity for further investigation and the other three were related to personnel matters. The complete and final report of investigation was forwarded to the appropriate management entities for action and response to all matters.

As part of its investigation, the OIG conducted a site visit to the SHCs in December 2020 and interviewed on-site employees, including BCHD management. Additionally, the OIG reviewed BCHD internal policies, medication inventory, and inventory standard operation procedures.

SHC Inventory Concerns

The OIG was informed of ongoing concerns with medication inventory at the SHCs, including the removal of medication without proper documentation. Furthermore, witnesses informed the OIG of potential operational issues with medication storage systems that could lead to inaccurate inventory totals and medication disposal, potentially resulting in waste.

BCHD management acknowledged that there have been inventory management issues for years, including a lack of inventory record-keeping as far back as August 2016. According to BCHD, it hired a Bureau Administrator in the fall of 2017 to assist with creating and implementing an inventory control program, which has been rolled out over the past two-and-a-half years.

Several witnesses reported that employees assigned to the SHCs' Healthcare on the Spot (the Spot)² team disregarded BCHD inventory control protocols by failing to document medication removal. According to SHC management, they do not supervise the Spot team and were unable to track the Spot's medication distribution because the team was not completing regular inventory reports.³ SHC management have now started to implement monthly inventory reports. A draft policy from March 2020 would require the Spot team to document medication removal from the Eastern SHC medication storage device, an automated dispensing system. The OIG observed such a form during its site visit to the Eastern SHC.

¹ This statement was as of December 2020. BCHD management stated there had been a six-month delay in implementing the program due to the Eastern SHC's relocation.

² The Spot is a mobile health clinic that provides outreach healthcare services.

³ A Medical Director and Deputy Medical Director supervise the Spot team; both report to the BCHD Clinic Assistant Commissioner.

The OIG learned the medication storage device itself may contribute to some inventory issues because it relies heavily upon data entry by employees. Although the device contains software that records the disbursement of medication, the device is not under video surveillance and the recorded information is only retained for one month. SHCs' management acknowledges the possibility for human error, which could potentially lead to an inaccurate count, and is working towards remedying those concerns.

INVESTIGATIVE FINDINGS

The OIG concluded there were problems with the SHCs' medication inventory process, including a lack of accurate medication counts, a lack of appropriate medication storage practices, and insufficient documentation of inventory policies and procedures. BCHD management is aware of these inventory process deficiencies and is actively working on addressing them by implementing a new inventory control process and communicating expectations to staff.

Sincerely,

Bab morcedes aun

Isabel Mercedes Cumming, Inspector General

6

Office of the Inspector General

cc: Hon. Brandon Scott, Mayor of Baltimore City Hon. Nick Mosby, Baltimore City Council President Hon. Bill Henry, Baltimore City Comptroller Honorable Members of the Baltimore City Council Hon. Jim Shea, Baltimore City Solicitor

0

Exhibit 4

Case #22-0052-I

Baltimore City Health Department Response

Case# 22-0052-I



Baltimore City Health Department 1001 E. Fayette Street • Baltimore, Maryland 21202 Brandon M. Scott, Mayor Letitia Dzirasa, M.D., Commissioner of Health

TO: Isabel Mercedes Cumming, Inspector General

FROM: Letitia Dzirasa, M.D., Commissioner of Health

CC:

SUBJECT: OIG Case #22-0052-I

DATE: September 13, 2022

This memo is written in response to the Office of the Inspector General Case #21-0052-I Management Alert that examined unsanitary conditions and maintenance issues at the Baltimore City Health Department (BCHD) Druid Health Center (DHC). Below are agency responses to the investigative findings.

Regarding pest control concerns, as indicated in a previous response, BCHD has worked with DGS to establish pest control services at the building to remove old traps and install new ones. DGS has confirmed that this service is being provided monthly. Previously, the contracted janitorial vendor has communicated to BCHD that removal of dead rodents is outside of their scope of services. The scope of services for the janitorial contract has been revised to help resolve this issue. We are waiting for this new contract to begin. DGS has also been onsite to inspect and eliminate potential rodent points of entry.

The potential security concerns identified are continuing to be addressed. Health is aware of the ongoing alarm issue on the rear emergency door and alternative solutions are being investigated. DHC staff have been notified that they must close the doors behind them in order for the doors to lock. The medications in the Pyxis room have been removed and placed in a secured area. Additionally, the building security system is in the process of being repaired.

For the other general maintenance concerns, service requests have been made. DGS will ask vendors to engage the site personnel frequently to ensure that all issues are being addressed, even if not detected during the monthly walk-through. While many of the ceiling tiles have been replaced, this building remains on a list of facilities with damaged and missing tiles that will be replaced once DGS receives an order of tiles that is pending receipt.

The DHC recently had a site visit from Maryland Occupational Health and Safety (MOSH) and we received a Citation and Notification of Penalty for some deficiencies that were noted by MOSH. We have been making a good faith effort to meet the abatement requirements and have made significant progress with all of the citations. We place the highest priority on responding to these citations. The

original concern, lack of needles with safety covers, was addressed immediately and has not recurred. We plan to complete documentation of abatement to send to MOSH in the coming weeks.

We take the safety and health of our staff and clients very seriously. We continue to work through the unsanitary conditions and maintenance issues identified in this report and others as they are reported. Our Facilities Manager meets with staff at this building every two weeks to discuss and work to resolve any building concerns.

0 0